

# Monitoring Quality and Access through the Performance Goal Program

Rhode Island Executive Office of Health and Human Services • September 2017

The following table displays a calculated average from health plan reported numerators and denominators for All Population Rate on HEDIS®, CAHPS®, and state-specified measures used in PGP 2017. Annual PGP results correspond to results from the prior calendar year (CY). The scores are highlighted according to the Quality Compass® Medicaid Edition for that respective year (or EOHHS-established benchmarks when noted). For example, the Statewide Average for CY 2016 (PGP 2017) findings are based on the percentile ranking from Quality Compass® Medicaid Edition 2016.

Measures highlighted in **dark blue** represent scores that met or exceeded the 90<sup>th</sup> percentile for that respective year

Measures highlighted in **light blue** indicate scores for that met or exceeded the 75<sup>th</sup> for that respective year

Measures shown in **green** are baseline measures

Performance Domain and Measures	Statewide Average for CY 2011 (PGP 2012)	Statewide Average for CY 2012 (PGP 2013)	Statewide Average for CY 2013 (PGP 2014)	Statewide Average for CY 2014 (PGP 2015)	Statewide Average for CY 2015 (PGP 2016)	Statewide Average for CY 2016 (PGP 2017)
<b>Utilization</b>						
Well-child visits in the First 15 months of life (6 or more visits)	82	82	90	86	81	80
Well-child visits in the 3 <sup>rd</sup> -6 <sup>th</sup> years of life	83	82	85	84	80	80
Adolescents well-care visits with PCP or OB/GYN (12-21 years)	65	67	70	70	64	70
Frequency of on-going prenatal care (>= 81 percent of expected visits)	79	77	83	81	79	80
<b>Access to Care</b>						
Members who had a visit with a pcp (12-24 months)	99	98	99	98	94	95
Members who had a visit with a pcp (25 months-6 years)	94	95	94	94	93	91
Members who had a visit with a pcp (7-11 years)	96	97	97	97	97	96
Members who had a visit with a pcp (12-19 years)	95	96	96	96	96	95

<b>Performance Domain and Measures</b>	<b>Statewide Average for CY 2011 (PGP 2012)</b>	<b>Statewide Average for CY 2012 (PGP 2013)</b>	<b>Statewide Average for CY 2013 (PGP 2014)</b>	<b>Statewide Average for CY 2014 (PGP 2015)</b>	<b>Statewide Average for CY 2015 (PGP 2016)</b>	<b>Statewide Average for CY 2016 (PGP 2017)</b>
Adults with an ambulatory or preventive care visit (20-44 years)	88	89	89	89	81	78
Adults with an ambulatory or preventive care visit (45-64 years)	92	92	93	93	89	87
Members received timely prenatal care	92	93	94	92	93	93
Members received timely postpartum care	71	71	71	71	74	73
Initiation and engagement of alcohol and other drug dependence treatment (initiation within 14 days)	n/a	n/a	n/a	45	47	49
Initiation and engagement of alcohol and other drug dependence treatment (engagement within 30 days)	n/a	n/a	n/a	19	19	26
Members were satisfied with access to Specialist	n/a	n/a	n/a	n/a	n/a	85
<b>Prevention and Screening</b>						
Children immunizations by 2 <sup>nd</sup> birthday – Combo 3	84	82	83	82	82	76
Children immunizations by 2 <sup>nd</sup> birthday – Combo 10	21	56	64	65	60	55
Lead screening for children	85	85	78	83	83	78
Adolescent immunizations -Combo 1	86	84	86	88	87	89
<b>Adolescent immunizations -Combo 2</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>35</b>
Child Body Mass Index (BMI) percentile assessed	44	61	85	80	85	90
Child counseling for nutrition	65	69	78	78	82	82
Child counseling for physical activity	48	56	72	69	72	76

Performance Domain and Measures	Statewide Average for CY 2011 (PGP 2012)	Statewide Average for CY 2012 (PGP 2013)	Statewide Average for CY 2013 (PGP 2014)	Statewide Average for CY 2014 (PGP 2015)	Statewide Average for CY 2015 (PGP 2016)	Statewide Average for CY 2016 (PGP 2017)
Developmental Screening in the first three years of life <sup>1</sup>	n/a	n/a	n/a	n/a	n/a	60
Members over 18 years received advice on smoking cessation	83	83	80	83	78	80
Flu vaccination	n/a	n/a	n/a	n/a	n/a	47
Breast cancer screening	n/a	n/a	n/a	n/a	n/a	64
Adult Body Mass Index (BMI) assessment	54	72	83	91	94	92
<b>Women's Health</b>						
Cervical cancer screening (21-64 years)	78	77	76	73	70	68
Chlamydia screening (16-20 years)	56	62	63	64	64	66
Chlamydia screening (21-24 years)	67	68	68	70	71	71
<b>Chronic Care</b>						
Comprehensive diabetes care: HbA1c testing	88	86	88	88	90	90
Comprehensive diabetes care: HbA1c Poor Control	n/a	n/a	n/a	n/a	n/a	31
Comprehensive diabetes care: HbA1c control	n/a	n/a	n/a	n/a	n/a	57
Comprehensive diabetes care: Eye exam	n/a	n/a	n/a	n/a	n/a	70
Comprehensive diabetes care: BP Control	n/a	n/a	n/a	n/a	n/a	75
Controlling high blood pressure	64	63	69	71	72	70
Medication management for people with asthma	n/a	n/a	n/a	n/a	39	37
Avoidance of antibiotic treatment in adults with acute bronchitis	n/a	n/a	n/a	n/a	n/a	48
HIV Viral Load Suppression <sup>2</sup>	n/a	n/a	n/a	n/a	n/a	61

<sup>1</sup> Developmental screening in the first three years of life is not a HEDIS measure and does not have a Quality Compass 2016 ranking. The highlight indicates the statewide average rate compared to the EOHHS-established benchmark for full and partial financial awards in PGP 2017

<sup>2</sup> HIV Viral Load Suppression is not a HEDIS measure and does not have a Quality Compass 2016 ranking. The highlight indicates the statewide average rate compared to the EOHHS-established benchmark for full and partial financial awards in PGP 2017

Performance Domain and Measures	Statewide Average for CY 2011 (PGP 2012)	Statewide Average for CY 2012 (PGP 2013)	Statewide Average for CY 2013 (PGP 2014)	Statewide Average for CY 2014 (PGP 2015)	Statewide Average for CY 2015 (PGP 2016)	Statewide Average for CY 2016 (PGP 2017)
<b>Behavioral Health</b>						
Follow-up visit within 30 days post-discharge from hospital (mental health)	83	81	81	78	75	81
Follow-up visit within 7 days post-discharge from hospital (mental health)	66	64	62	64	60	69
Antidepressant medication management (acute phase)	47	52	52	52	56	53
Follow-up for children prescribed ADHD medication (initiation phase)	48	54	56	52	48	50
Follow-up for children prescribed ADHD medication (continuation and maintenance phase)	n/a	n/a	n/a	n/a	n/a	63
<b>Use of multiple concurrent antipsychotics in children and adolescents</b>	n/a	n/a	n/a	2	2	3
Adherence to antipsychotic medications for individuals with schizophrenia	n/a	n/a	n/a	71	66	66